

## EMPLOYEE TRAINING RECORD

### TRAINING TITLE

Confined Spaces - Making Safe Entries - Harnesses/Tripods and Ventilators

### KEY TEACHING POINTS

#### HARNESS/TRIPOD

- These devices can allow the attendant to retrieve the victim in some situations. They are useful for work in permit spaces that are IDLH, have a vertical entry or that pose a risk of engulfment.
- These retrieval devices may not work if the victim falls behind machinery or there are obstacles in the space.

#### VENTILATORS

- Blower and ventilators are used to purge hazardous atmospheres. They have an effective capacity in CFM (cubic feet per minute) that determines purge times.
- Purge times should be listed on the permit.
- While purging, the dropped end of the hose should:
  - Hang vertically
  - Be more than 1 foot below ceiling
  - Be not more than 2 feet above the floor
- When using a blower, make sure that:
  - The blower intake is away from traffic to avoid vehicle exhaust fumes
  - The exhaust from gas-powered blower is not being sucked into the blower air intake
  - The blower intake is at least five feet away from the confined space and upwind from the entrance.

### TEST

QUESTION	ANSWERS	
	TRUE	FALSE
1. Harness/tripod are devices used to allow the attendant to retrieve a victim in some situations.		
2. Retrieval devices may not work if the victim falls behind machinery or there are obstacles in the space.		
3. Purge times are not listed on the permit.		
4. The blower intake is at least five feet away from the confined space and upwind from the entrance.		
5. While purging, the dropped end of the hose can be anywhere in the space.		
<b>EMPLOYEE'S NAME</b>	<b>EMPLOYEE'S SIGNATURE</b>	<b>DATE</b>
<b>INSTRUCTOR'S NAME</b>	<b>INSTRUCTOR'S SIGNATURE</b>	<b>DATE</b>

1. True 2. True 3. False 4. True 5. False